



**DE SANGOSSE**

## Spray Enhancers

### Newman Cropspray 11-E



**What is it?**

A high grade, high strength mineral oil.

**ADJ No.**

0863

PCS No. 00491

**Hazard Warnings**

R22: Harmful if swallowed.

**Formulation**

An emulsifiable concentrate formulation containing 99% highly refined paraffinic oil.





**DE SANGOSSE**

Cropspray 11-E is authorised for use with the listed approved herbicides on cereals, sugar beet, oilseed rape, maize, sweet corn, fodder beet, mangels and red beet.

DO NOT leave the Cropspray 11-E and pesticide solution in the spray tank without agitation or separation may occur which may result in poor control.

### Newman Cropspray 11-E

Cropspray 11-E may be used at a maximum concentration of 2.5% spray solution on the following crops, up to the growth stages specified, with all approved pesticides applied up to their full approved rate.

Crop	Growth stages before which Cropspray 11-E may be used with approved pesticides
Cereals	Up to and including GS 52 (1/4 inflorescence)
Oilseed rape	Up to and including 10% potential pods (code 5.1, Sylvester-Bradley, 1985)
Beans	Up to and including first pod set (EPPO code 204)
Peas	Up to and including flat pod (EPPO code 205)(non-edible pods only)
Linseed	Up to and including 10% capsules formed (code 51, Freer 1991)
Maize	Up to and including tip of tassel visible (EPPO code 53)
Sugar beet	Up to and including 6 full expanded leaves (EPPO code 23)
Potatoes	Up to and including tuber initiation
Brussels sprouts	Up to and including lateral buds begin to develop
Cauliflower	Up to and including cauliflower heads begin to form; width of growing tip up to 1 cm <sup>2</sup>
Cucumber	Up to and including first fruit set
Lettuce	Varieties forming heads; up to and including heads begin to form. Varieties not forming heads up to and including leaf rosette has reached 30% of the diameter typical for the variety
Edible podded peas	Up to and including pod set (EPO code 204)
Tomato	Up to and including first fruit set on first truss
Apples/pears	Up to and including fruit 5-10 mm (EPPO code 71)
Blackcurrant	Up to and including first visible green fruitlet (EPPO code 6)
Cherry, plum, peach, almond & apricot	Up to and including first fruit set (EPPO code H)
Grapes	Up to and including first fruit set (EPPO code 27)
Hops	Up to and including cone set (EPPO code 71)
Raspberries	Up to and including first fruit set
Strawberries	Up to and including first fruit development (EPPO code 70)

In addition to the above conditions, Cropspray 11-E is authorised for use with all approved pesticides on all edible crops provided that the statutory conditions of use for the pesticide are followed and that the pesticide is not used at more than 50% of the maximum approved rate for that application.

Cropspray 11-E may be used to reduce the drift of sprays where this is a concern.

**For Specific Recommendations** contact De Sangosse Ltd or its distributors.





**DE SANGOSSE**

## Spray Enhancers

### Newman Cropspray 11-E



#### Capabilities

##### **Cereals**

Approved Salt Formulations of MCPB, 2,4-D - 1.25% of spray solution.

##### **Sugar, fodder & red beet, mangels**

Approved formulations of phenmedipham and Goltix WG (MAPP 16853) - 2.5% of spray solution.

#### Rate of Use

Cropspray 11-E may be used at a maximum concentration of 2.5% spray solution on the following crops, up to the growth stages specified, with all approved pesticides applied up to their full approved rate.

In addition to the above conditions Cropspray 11-E is authorised for use with all approved pesticides on all edible crops provided that the statutory conditions of use for the pesticide are followed and that the pesticide is not used at more than 50% of the maximum approved rate for that application.

#### Water Volume

The water volume is governed by that stated on the partner pesticide label.

#### Mixing Sequence

Cropspray 11-E should always be added to the tank first. Three quarter fill the spray tank with water and commence agitation. Add the required quantity of Cropspray 11-E. Add pesticide(s) as directed. Continue agitation while topping up the tank and during spraying.

#### Pack Size

10 litres

